



1 R 485



1

2








串口设定


串口 COM5 波特率 9600 关闭串口 打开全部继电器 【DAM0888】: 【继电器 8】 【光耦 8】 【模拟量 8】

设备型号 DAM0888 设备地址 0 读取地址 关闭全部继电器 读继电器 读光耦 读模拟量 调试信息

| 通道 | 模拟量 | 数值 | 单位 |
|----|-----|----------|----|
| 1 | AI1 | 0.000000 | |
| 2 | AI2 | 0.000000 | |
| 3 | AI3 | 0.000000 | |
| 4 | AI4 | 0.000000 | |
| 5 | AI5 | 0.000000 | |
| 6 | AI6 | 0.000000 | |
| 7 | AI7 | 0.000000 | |
| 8 | AI8 | 0.000000 | |

读取AI
数据: FE 04 00 00 00 08 E5 C
数据: 04 10 00 00 00 00 C





2



1

2 M

| | |
|--|--|
| | |
| | |
| | |
| | |

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



| | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |





