



	.....	1
	.....	1
	.....	1
	.....	1
	.....	1
	.....	2
1	.....	
2	.....	
3	.....	
	.....	2
1	.....	
2	.....	
	.....	
1	.....	
2	.....	
3	.....	
	.....	
1	.....	
	.....	
	.....	
1	.....	
2	.....	
3	.....	
4	.....	10
	.....	11



• -40

• 4

• \*\* \*\*

• /

• , 0.02

• 100

• 12

• 2400,4 00, 00,1 200,3 400

• /

•

•

•

•

•


•


	7-40
	1
	-200 650
	0.1%

	-40 85
	145* 4*41
	330
	600, , 8, 1
	2400, 4800, 600, 1 200, 38400

\*\*

1234



1)

010- 2 2 - 03

2)


10-1

30

\*\* \*\*


1234

2-1



2-1

2-2



2-2

0001




**JY-DAM-AIPT**  
JUYING ELECTRONIC




**数据采集模块**

- 供电电压: DC 7-30V
- 温度: -200~520°C
- 通道数量:  4路  6路  8路
- 模拟信号:  20mA  5V  10V
- 通信协议: MODBUS RTU/ASCII
- 通信端口:  RS232  RS485  RF  
 网口  WIFI  USB

电源 RS485 RS232 地址

100









4-20 0-10 0-

WIFI

<http://www.jingele.com.cn/ of a e/cl / WIFI . a>

Modb

<http://www.jingele.com.cn/ of a e/ of a e/Modb %20POLL . a>

3 4

3 4	
3	

4	
---	--

4				
1	4	3 0001	1 1	-200-32
			1 1	0- 0
2		3 0002	1 1	-200-32
			1 1	0- 0
3		3 0003	1 1	-200-32
			1 1	0- 0
4		3 0004	1 1	-200-32
			1 1	0- 0
		3 000	1 1	-200-32
			1 1	0- 0
		3 000	1 1	-200-32
			1 1	0- 0
		3 000	1 1	-200-32
			1 1	0- 0
1		3 00 1		-200- 0
2		3 00 3		-200- 0
3		3 00		-200- 0
4		3 00		-200- 0
		3 00		-200- 0
		3 00 1		-200- 0
		3 00 3		-200- 0
		3 00		-200- 0
1	4	3 0021	1	
2		3 0022	1	
3		3 0023	1	
4		3 0024	1	
		3 002	1	
		3 002	1	
		3 002	1	
		4 1001		0 0-

		232	4	✓
				+

00001 0 ( )  
 10001 1 ( )  
 30001 3 ( )  
 40001 4 ( )

1 0      00001      0000      4

0	00
1	2400
2	4 00
3	00
4	1 200
✓	3 400

	1
1	0400000012 ✓✓
	04 02 00 00 24
2	0400010001 40 ✓
3	0400020001 40 ✓
4	0400030001 ✓✓
✓	0400040001 404
	04000 0013 ✓
	04000 0001 ✓
	04000 0001 404
1	040000000 ✓
1	04 00 14 00 01 ✓
	04 02 00 00 24
2	04 00 1 001 34 01
3	04 00 1 00 01 4 01
4	04 00 1 00 01 ✓
✓	04 00 1 00 01 ✓
	04 00 1 00 01 4 02

		0 1 00 01 04 02
		4 00 1 00 01
1		04 00 14 00 0

\*0.01

04000000012

04	04	
00 00		
00 01		
2	1	

04 02 00 00 24

04	04	0 2
02		1+(-1)/
00( ) 00( )		
24	1	

04 00 32 00 02 4 0

04		
00 32		
00 02		
4 0	1	

04 04 41 0 4 32

04	04	0 2
04		1+(-1)/
41 0 4		2 .4

24	1	
----	---	--

\*0.001

04	04	
00 00		
00 0		
	1	

04 10 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 1 2

04	04	0 2
10		1+(-1)/
00 00      00 00		0 00 00      0
1 2	1	

400-      -400

---



---



---



---

